



| IBM System z – Live Virtual Class

z/VSE Tools – An Overview

Ingo Franzki – ifranzki@de.ibm.com



Trademarks

The following are trademarks of the International Business Machines Corporation in the United States and / or other countries.

CICS*	IBM*	Virtual Image
DB2*	IBM logo*	Facility
DB2 Connect	IMS	VM/ESA*
DB2 Universal	Intelligent	VSE/ESA
Database	Miner	VisualAge*
e-business logo*	Multiprise*	VTAM*
Enterprise Storage	MQSeries*	WebSphere*
Server	OS/390*	xSeries
HiperSockets	S/390*	z/Architecture
	SNAP/SHOT	z/VM
	*	z/VSE
		zSeries

* Registered trademarks of IBM Corporation

The following are trademarks or registered trademarks of other companies.

LINUX is a registered trademark of Linus Torvalds

Tivoli is a trademark of Tivoli Systems Inc.

Java and all Java-related trademarks and logos are trademarks of Sun Microsystems, Inc., in the United States and other countries

UNIX is a registered trademark of The Open Group in the United States and other countries.

Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation.

SET and Secure Electronic Transaction are trademarks owned by SET Secure Electronic Transaction LLC.

Intel is a registered trademark of Intel Corporation.


Agenda



- **The z/VSE web site offers more than 20 tools ('as is', at no additional charge) for download.**
 - The tools are designed make certain z/VSE tasks easier and more interesting.
 - Because of the sheer number of tools, you may have lost track about what tools are provided and what they are for.
 - There may be a tool available that you are not aware of, for a task you need to perform.
- **This session will provide an overview of each the tools that are currently available on the VSE homepage.**
 - For every tool, a short description and usage scenarios will be discussed.

Overview – z/VSE Homepage

<http://ibm.com/vse>



Overview - All Tools

The collage displays a variety of IBM System z tools and interfaces:

- VSE e-business Connectors**: A web-based interface for managing VSE e-business connectors.
- VSE Health Checker**: A tool for monitoring the health of VSE systems.
- VSEPrint 10**: A tool for printing VSE output.
- Multi-Instance Log Analyzer (MSAL)**: A tool for analyzing VSE logs.
- Link LEVSE Analyzer Tool**: A tool for analyzing VSE links.
- Example CPU utilization chart**: A line graph showing CPU utilization over time.
- Occurrences of group GROUP01**: A list of occurrences for a specific group.
- Group description TRANSEC CLASS MIGRAT**: A description of a specific group.
- Connect group for user S\$RV**: A description of a specific group.
- Connect group for user CICSUSER**: A description of a specific group.
- Connect group for user PROG**: A description of a specific group.
- Update authority in access list of profile FACILITY DPHRCF.BRSLPU**: A description of a specific group.
- Update authority in access list of profile FACILITY DPHRCF.BRSL01**: A description of a specific group.

LISTVOL1 UTILITY - LIST VOL1/HDR1 LAI

FILENAME: VOLSER FILE-ID

VTAPE1 : TAPE00 TAPE.DATASET.00
 VTAPE2 : PRDDAT PRODUCTION.DATA
 VTAPE3 : BACKUP MY.BACKUP.FILE

LISTVOL1 UTILITY - FINISHED



Overview – Connectors & Tools

- **Connector components (Part of z/VSE)**

- VSE Connector Client
- VSAM Redirector Server
- VSE Script Server
- VSE Virtual Tape Server

- **Connector Tools**

- VSE Navigator
- VSAM Maptool
- Keyman/VSE
- VSE Health Checker
- CICS2WS Toolkit
- VSE ANT Tasks
- VSEPrint Utility

Overview – Tools


■ Tools

- z/VSE CPU Monitor Tool
- z/VSE Installed Software Report Tool
- IP Trace Tool
- ListVOL1 Utility
- Multi Instant Logic Analyzer4VSAM
- JavaService - Run a Java program as a Windows Service
- BSM Cross Reference Tool
- TCP/IP Configuration Tool
- JCalc LE/VSE Tool
- JLink LE/VSE Tool
- JRun_LEVSE_Samples


Connector Components

- Part of z/VSE (5686-CF8-35/-38)
- Officially supported


VSE Connector Client




VSAM Redirector Server



VSE Virtual Tape Server




VSAM Script Server




VSE Navigator

- **Graphical user interface for z/VSE**
 - Look and feel similar to Windows Explorer
- **Based on functions provided by VSE Connector Client**
- **Browse VSE libraries, POWER queues, ICCF libraries, VSAM catalogs**
- **Copy members via Drag & Drop**
- **Display and edit members with your favourite editor**
- **Display and change VSAM data**
- **Provides graphical system management functions**
 - System activity,
 - Retrace MSHP history file
 - ... and many more



VSAM Maptool

- Assists you in creating a mapping of your VSAM files
 - Mapping is used by VSE Connector Client and VSAM Redirector
 - Mapping can also be created using the IDCAMS RECMAP command.
- Import Cobol or PLI copybook to create the mapping from it
- Import (receive) a given map from a given z/VSE system
- Export a map to a VSE system (send it to z/VSE)
- Import a map from a XML file
- Export a map to a XML file
- Create a Java source file from a given map. The Java program can get all records from the related VSAM file via the given map.



MapToolGui - cbsample.cb


Fieldname	Length	Offset	Type	Description
BANDA-SA	1	0	STRING	05 BANDA-SA PIC X VALUE 'A'.
BANDA-KZ	2	1	STRING	05 BANDA-KZ PIC XX VALUE 'GK'.
BANDA-BLZSPKDT	5	3	PACK...	05 BANDA-BLZSPKDT PIC 9(8) COMP-3.
BANDA-BLZSPKABS	5	8	PACK...	05 BANDA-BLZSPKABS PIC 9(8) COMP-3 VALU...
BANDA-ABS	27	13	STRING	05 BANDA-ABS PIC X(27) VALUE 'CUSTOM...
BANDA-ERSTELLDAT	4	40	PACK...	05 BANDA-ERSTELLDAT PIC 9(6) COMP-3.
FILLER-1	4	44	STRING	05 FILLER PIC X(4) VALUE SPACE.
BANDA-KTOABS	6	48	PACK...	05 BANDA-KTOABS PIC 9(10) COMP-3 VALUE ...
BANDA-REFERENZ	10	54	UZON...	05 BANDA-REFERENZ PIC 9(10) VALUE ZE...
FILLER-2	82	64	STRING	05 FILLER PIC X(82) VALUE SPACE.
BANDC-SA	1	146	STRING	05 BANDC-SA PIC X VALUE 'C'.
BANDC-AUFBLZ1	5	147	PACK...	05 BANDC-AUFBLZ1 PIC 9(8) COMP-3.
BANDC-BLZ	5	152	PACK...	05 BANDC-BLZ PIC 9(8) COMP-3.
BANDC-KTO	6	157	PACK...	05 BANDC-KTO PIC 9(10) COMP-3.
BANDC-NUL1	10	163	STRING	07 BANDC-NUL1 PIC X(10).
BANDC-NUL2	3	173	PACK...	07 BANDC-NUL2 PIC 9(5) COMP-3.
BANDC-TXSCHL-FI...	3	176	PACK...	05 BANDC-TXSCHL PIC 9(5) COMP-3.

Field options: Append, Edit, Insert, Delete

Map options: Lookup a field, Export, Import new, Change map info, Insert map, Exit


Keyman/VSE

- Keyman/VSE is a tool to manage the z/VSE specific public key infrastructure.
- Create RSA key pairs
- Create self-signed certificates for testing and learning purposes
- Create PKCS#10 certificate requests
- sSgn certificate requests
- Import and export certificates
- Read and write PKCS#12 keyring files
- Catalog keys and certificates on VSE
- Maintain the mappings of VSE client certificates to VSE user IDs
- In addition to these basic functions, Keyman/VSE provides two "Wizard dialogs" for
 - Creating a complete self-signed VSE keyring including the server side z/VSE library members and a client side keyring file, and
 - Creating a complete z/VSE keyring with certificates issued by an external Certificate Authority, like Thawte.



VSE Health Checker

- **The VSE Health Checker is a Java-based system diagnosis utility**
 - Retrieves, displays, and analyzes performance relevant configuration settings and status information from a z/VSE system.
 - Gathered data can be exported and imported in XML format.
- **A health check is performed by applying a set of rules against a snapshot of retrieved z/VSE data.**
 - A printable report can be generated
- **VSE data is retrieved by sending console commands, submitting VSE/POWER jobs, downloading VSE Librarian members, and invoking CICS transactions.**



CICS2WS Toolkit


- **The CICS2WS Toolkit helps you to use Web Services with z/VSE**
 - Creates proxy code that you use as a layer between your existing programs and the VSE SOAP engine.
 - The proxy code is generated as Assembler program, therefore you do not need a Cobol or PL/I compiler.
- **Web Service enable an existing CICS program:**
 - The tool reads COBOL and PL1 copybooks and creates the proxy code and WSDL file.
- **Call an external Web Service from a CICS program**
 - Reads an WSDL file and creates the proxy code and a copybook for the COMMAREA mapping.



WSDL = Web Service Description Language
Contains all information required
to call a particular Web Service.

VSE ANT Tasks

- **Apache ANT is an Java-based Open-Source Build-Tool, similar to Make.**
 - Originally intended for automated build (compile) of Java code
 - ANT provides Java-Classes (Tasks) for automating different things
 - Build-Scripts are formulated in XML
 - Web Page: <http://ant.apache.org/>
- **z/VSE provides a set of ANT-Tasks to automate VSE specific operations**
 - Submit VSE Jobs
 - Upload & Download members and files
 - Issue console commands and retrieve messages
 - Access VSAM data
- **Allows to automate VSE processes from a central place**



```
<submit jobfile="c:\vsejobs\define_vtape.job"
      waitforoutput="true"
      outfile="c:\vsejobs\output\definetape.txt"
      propertyprefix="definetape.job"
      vsesystem="TESTVSE1"/>

<condition property="definetape.failed">
  <not>
    <equals arg1="${definetape.job.maxrc}"
            arg2="0000"/>
  </not>
</condition>

<fail if="definetape.failed"
      message="Define VTape failed with
              MAXRC=${definetape.job.maxrc}."/>
```



VSEPrint

- The VSEPrint utility allows you to print VSE/POWER list queue entries on any locally or LAN-attached printer.
- The queue entry can be formatted for proper output by specifying a meta-file which contains instructions for formatting the file.
- The print-file can be previewed on the platform where the LAN-printer is attached.
- On VSE, the TCP/IP command DEFINE EVENT is used to setup a listener for list queue entries which have a given class.
- These queue entries are then sent via AUTOFTP to a platform, where the VSEPrint utility runs.
- The VSEPrint utility then performs all print setup, formatting and optional previewing.




VSE CPU Monitor Tool (CPUMON)

- Intended to help customers to measure the CPU utilization of their VSE system over a period of time.
- When you plan for a processor upgrade it is very important to know the CPU utilization of your VSE system over a day or a week.
 - Helps you to estimate the size of the new processor.
- The VSE CPU Monitor Tool is not intended to replace any existing monitoring product provided by partners.
- It provides only very basic monitoring capabilities on an overall VSE system level.
- No details about CPU usage of certain applications are provided




z/VSE Installed Software Report Tool

- This tool is able to generate a z/VSE Installed Software Report as used by IBM ShopzSeries.
 - <http://www.ibm.com/software/shopzseries>
 - It connects to z/VSE via FTP and submits 2 MSHP Jobs
 - The output is retrieved and a service bitmap is created
 - The service bitmap (= Installed Software Report) can then be uploaded to ShopzSeries when ordering service for z/VSE.
- Note: This tool is officially supported by IBM.



IP Trace Tool

- This tool is able to read IP packet traces captured with TCP/IP for VSE and convert it into the CAP trace format
- Trace can then be viewed and analyzed with Wireshark (formerly Ethereal) or Packetyzer.
 - <http://www.wireshark.org/>
 - <http://sourceforge.net/projects/packetyzer/>
- Wireshark provides very powerful network and protocol analysis functions like
 - Follow TCP stream
 - Packet flow graph
 - TCP round trip time graph
 - Statistic and performance analysis
 - ... And many more.
- Supports TCP/IP for VSE 1.5D, 1.5E and 1.5F



ListVOL1 Utility

- This tool helps to manage VSE VTAPE images stored in VSAM files
- It can display the VOLSER and File-ID of the files stored on the virtual tape without mounting it as VTAPE.
- The ListVOL1 utility reads the first 2 tape records of tape image
 - You can specify multiple VTAPE files
- It prints the VOLSER and FILE-ID from the VOL1 and HDR1 labels on the tape:

```
LISTVOL1 UTILITY - LIST VOL1/HDR1 LABELS OF VTAPES


FILENAME: VOLSER  FILE-ID
-----
VTAPE1   : TAPE00  TAPE.DATASET.00
VTAPE2   : PRDDAT  PRODUCTION.DATA
VTAPE3   : BACKUP  MY.BACKUP.FILE
-----

LISTVOL1 UTILITY - FINISHED
```

Multi Instant Logic Analyzer4VSAM


- **The Multi Instant Logic Analyzer4VSAM combines several VSAM analysis tools:**

- Extent analysis
- Space map analysis
- HALRBA/HUSRBA analysis
- Capacity analysis
- The SNAP013 analysis:
 - Extracts Snap013 trace tables from a given hex dump.
- INDEX analysis tool:
 - Error analysis
 - Index component capacity analysis providing reorganization indicator



JavaService - Run a Java program as a Windows Service

- **IBM provides several server applications for use with z/VSE that are implemented in Java:**
 - VSAM Redirector Server
 - VSE VTape Server
 - VSE Script Server
- **You may wish to run such a server on an unattended Windows system.**
 - Even if no user is signed-on
- **The JavaService tool allows running a Java application as a Windows service in the background.**
- **It acts as a wrapper in-between the Windows Service Control Manager and the Java Program.**




BSM Cross Reference Tool

- **The z/VSE BSM Cross Reference Tool is intended to help administrators control the profile definitions in the BSM control file.**
- **Example:**
 - When you delete a user ID, you can use it to ensure that you have removed the user ID from all access lists and groups.
- **The following functions are provided:**
 - List all groups and resource profiles which contain a specified user ID.
 - List all resource profiles where a specified group is on the access list.
 - List all user IDs found in the BSM control file but is not defined in the VSE control file.
 - List all resource profiles that allow any user to access a resource (UACC not NONE).

```
// EXEC BSTXREF,PARM='GROUP=*'  
IS54I  PHASE BSTXREF  IS TO BE FETCHED FROM IJSYSRS.SYSLIB  
  
                                     BSM Cross Reference Report  
                                     of All Groups  
  
Occurrences of group GROUP01  
  
Group description TRANSEC CLASS MIGRAT  
Connect group for user $SRV  
Connect group for user CICSUSER  
Connect group for user OPER  
Connect group for user PROG  
Update authority in access list of profile FACILITY DFHRCF.BRSLPU  
Update authority in access list of profile FACILITY DFHRCF.BRSL01
```

TCP/IP Configuration Tool

- **TCP/IP for VSE Configuration utility is a workstation-based tool to help configure TCP/IP for VSE.**
- **The tool reads an existing IPINIT-member and display the definitions in a set of dialogs.**
- **These definitions can be modified or deleted, or new definitions can be added.**
- **The definitions can be saved to the same or a new IPINIT member.**
- **The tool also creates**
 - A TCP/IP startup job
 - A VTAM B-book if Telnet daemons are defined
 - A batch file to upload all files to the host through filetransfer.



JCalc LE/VSE Tool

- This tool is able to calculate and provide an online view of SVA-eligible Language Environment for VSE
- It also takes into consideration whether default-, recommended- and/or optional LE/VSE supplied SVA-loadlists are intended to be used.


Component Viewer						
Routine Name	Description	Decimal Size	SVA Eligible	AMODE	RMODE	SVA List
CEEBINIT	Initialization/termination for batch	53640	YES	ANY	24	\$SVACEE
CEEBLIBM	Library routine retention init/term	20784	YES	ANY	24	\$SVACEE
CEEBLRR	Library routine retention interface	936	YES	ANY	24	\$SVACEE
CEEBNATX	Null Abnormal termination exit	2	YES	31	ANY	\$SVACEE
CEEBXITA	Assembler User Exit Interface	156	YES	31	ANY	\$SVACEE
CEEBXTAN	Batch Abnormal termination exit table	274	YES	31	ANY	\$SVACEE
CEECCICS	CICS library support routines	42008	YES	31	24	\$SVACEE
CEECOPP	Compiler options parsing program	50424	YES	31	ANY	\$SVACEE
CEECOPT	CICS Installation-wide default runopts	26688	YES	31	ANY	\$SVACEE
CEEEXTAN	CICS Abnormal Termination Exit table	290	YES	31	ANY	-
CEEDOPT	Batch Installation-wide default runopts	26688	YES	31	ANY	\$SVACEE
CEEKDS	Contains dump services	94256	YES	31	ANY	\$SVACEE
CEELCLE	Contains locale services	11064	YES	31	ANY	\$SVACEE
CEELEDT	LE/VSE to VSE/POWER Interface Routine	8144	YES	31	ANY	-
CEELRRIN	Library routine retention init interface	352	YES	31	ANY	\$SVACEE
CEELRRT	Library routine retention term interface	344	YES	31	ANY	\$SVACEE
CEEMENU0	Msg file + mixed-case Engl.msgs 000-999	9600	YES	31	ANY	\$SVACEE
CEEMENU2	Msg file + mixed-case Engl.msgs 2000-2999	10384	YES	31	ANY	\$SVACEE
CEEMENU3	Msg file + mixed-case Engl.msgs 3000-3999	33032	YES	31	ANY	\$SVACEE
CEEMENU4	Msg file + mixed-case Engl.msgs 4000-4999	1032	YES	31	ANY	\$SVACEE
CEEMENU5	Msg file + mixed-case Engl.msgs 5000-5999	696	YES	31	ANY	\$SVACEE
CEEMJPN0	Msg file with Jap.msgs 000-999	9536	YES	31	ANY	-
CEEMJPN2	Msg file with Jap.msgs 2000-2999	10488	YES	31	ANY	-
CEEMJPN3	Msg file with Jap.msgs 3000-3999	33400	YES	31	ANY	-

Note: Large phases marked red, default SVA entries in blue

Help Calculate SVA loadlist Cancel


JLink LE/VSE Tool

- **Coping with Language Environment for VSE run-time problems often is a complex task**
 - It requires analysis of the failing application and environment.
- **A useful approach is to cross-check program compile/link lists (e.g in regard to languages, interfaces, products, options, stubs involved).**
- **This tool validates VSE compile/link list(s) to judge whether or not a run-time problem might be related to the way the application is built.**
 - The tool has initially been developed to help IBM support people to analyze LE related problems.
 - It is now also available to customers.




JRun_LEVSE_Samples

- **This tool provides an integrated front-end to download and try out IBM provided LE/VSE sample source programs**
 - Supports samples written in the COBOL, PL/I and C programming language.
 - LE/VSE callable services which can be coded cross programming language.
- **The following samples are covered:**
 - Condition Handling
 - Date and Time
 - Dynamic Storage
 - General, Initialization and Termination
 - Locales
 - Math
 - Message Handling
 - National Language Support
- **Note:**
A corresponding LE/VSE conforming compiler (COBOL/VSE, PLI/VSE and/or C/VSE) must be installed on z/VSE




The Hobbit Monitor

- **Hobbit is a tool for monitoring servers, applications and networks.**
- **Hobbit is an application that performs 'tests' of network services on predetermined hosts**
 - TCP based connections
 - ftp ssh telnet smtp pop3 imap nntp rsync clamd oratns qmtp qmqp dns dig ntp rpc http ldap apache and more...
 - Also z/VM and z/VSE ,agents' are available
- **Provides a web based status display, updated every minute**
- **<http://www.hsw.n.dk/hobbit/help/about.html>**
- **Presentation from Rich Smrcina:**
 - <http://www.wavv.org/wavv2008/presentations/hobbitmon.pdf>
- **z/VSE and z/VM Agents: http://www.vmassist.com/rs_samples/**



Summary

- IBM offers a huge set of tools available on the VSE Homepage
 - <http://ibm.com/vse>
Click on Download on the left
- Most tools are 'as is', at no additional charge.
- Connector components (part of z/VSE and officially supported) are also available here
- **Check it out now !**



Questions ?



Mark your calendar:

IBM System z Expo

featuring z/OS, z/VM,
z/VSE, Linux on
System z

October 13-17, 2008
Las Vegas, NV



The Rio All-Suite Hotel and Casino
3700 West Flamingo Road
Las Vegas, NV 89103

Register now: <http://ibm.com/training/us/conf/systemz>